

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ET20 electrolyte for electrochemical signature of galvanized parts

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal inscription

1.3 Details of the supplier of the safety data sheet

Company name: GIMA e.K.
Street/POB-No.: Altenberger-Dom-Straße 56b
Postal Code, city: 51467 Bergisch Gladbach
Germany
WWW: www.gima-ib.de
E-mail: info@gima-ib.de
Telephone: +49 (0)2202 2 85 85 0
Telefax: +49 (0)2202 2 85 85 28

Dept. responsible for information:
Michel J. Girard,
Telephone: +49 (0)2202 2 85 85 0, Email info@gima-ib.de

1.4 Emergency telephone number

Michel J. Girard,
Telephone: +49 (0)2202 2 85 85 0, Email info@gima-ib.de

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements

Labelling (CLP)



Signal word: **Danger**

Hazard statements: H318 Causes serious eye damage.

Precautionary statements:

P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 2 of 8

Special labelling

Text for labelling: Contains Lactic acid.

2.3 Other hazards

May be harmful if inhaled.
A corrosive effect cannot be ruled out because of the pH value.

Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of water/mineral salt and complexing agent

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 201-196-2 CAS 79-33-4	Lactic acid	1 - 5 %	Skin Irrit. 2; H315. Eye Dam. 1; H318.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. In case of respiratory difficulties seek medical attention.

Following skin contact: Change contaminated clothing. Remove residues with water.
In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. If you feel unwell, seek medical advice.
Do not induce vomiting.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 3 of 8

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In the event of a fire, the following may be produced when the water evaporates: Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information: Hazchem-Code: -

Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe vapour/aerosol.

Avoid contact with skin and eyes. Keep unprotected people away.

Wear appropriate protective equipment.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder.

Store in special closed containers and dispose of according to ordinance. Final cleaning.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid contact with skin and eyes. Do not breathe vapour/aerosol.

Wear appropriate protective equipment.

Do not mix with other chemicals.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and dry.

Store at room temperature.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page:

4 of 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

- Respiratory protection: If vapours form, use respiratory protection.
Combination filter/Use filter type A-P2 according to EN 14387.
- Hand protection: Protective gloves according to EN 374.
Glove material: Nitrile rubber
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:
Change contaminated clothing.
Wash hands before breaks and after work.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Work place should be equipped with a shower and an eye rinsing apparatus.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Form: liquid
Colour: colourless
- Odour: characteristic
- Odour threshold: No data available
- pH value: 1.5 - 2.5
- Melting point/freezing point: No data available
- Initial boiling point and boiling range: No data available
- Flash point/flash point range: not combustible
- Evaporation rate: No data available
- Flammability: No data available
- Explosion limits: No data available
- Vapour pressure: No data available
- Vapour density: No data available
- Density: at 20 °C: 1.03 g/mL
- Water solubility: at 20 °C: completely miscible
- Partition coefficient: n-octanol/water: No data available
- Auto-ignition temperature: No data available
- Decomposition temperature: No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 17/1/2018

Version: 9

Language: en-GB,IE

Date of print: 22/5/2018

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page:

5 of 8

Viscosity, kinematic: No data available
Explosive properties: No data available
Oxidizing characteristics: No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Do not mix with other chemicals.

10.5 Incompatible materials

Strong acids and alkalis

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 6 of 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

After contact with skin: May cause irritations.
After eye contact: Reddening, pain.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 7 of 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 11 01 98* = Wastes from chemical surface treatment and coating of metals and other materials (eg. galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

14.5 Environmental hazards

Marine pollutant:

no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 17/1/2018
Version: 9
Language: en-GB,IE
Date of print: 22/5/2018

ET20 electrolyte for electrochemical signature of galvanized parts

Material number ET20

Page: 8 of 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H315 = Causes skin irritation.
H318 = Causes serious eye damage.

Reason of change: Changes in section 2: Labelling (P-phrases: EU, ATP 8)
Date of first version: 5/8/2009

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.