

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page:

1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal inscription

### 1.3 Details of the supplier of the safety data sheet

Company name: GIMA e.K.

Street/POB-No.: Altenberger-Dom-Straße 56b

Postal Code, city: 51467 Bergisch Gladbach

Germany

WWW: www.gima-ib.de

E-mail: info@gima-ib.de

Telephone: +49 (0)2202 2 85 85 0

Telefax: +49 (0)2202 2 85 85 28

Dept. responsible for information:

Michel J. Girard,

Telephone: +49 (0)2202 2 85 85 0, Email info@gima-ib.de

### 1.4 Emergency telephone number

Michel J. Girard,

Telephone: +49 (0)2202 2 85 85 0, Email info@gima-ib.de

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

### 2.2 Label elements

#### Labelling (CLP)

Signal word: **Danger**

Hazard statements: H318 Causes serious eye damage.

Precautionary statements: P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page: 2 of 8

#### Special labelling

Text for labelling: Contains Lactic acid.

#### 2.3 Other hazards

May be harmful if inhaled.  
A corrosive effect cannot be ruled out because of the pH value.

Results of PBT and vPvB assessment:

No data available

## SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Mixture of water/mineral salt and complexing agent

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 201-196-2 CAS 79-33-4	Lactic acid	1 - 5 %	Skin Irrit. 2; H315. Eye Dam. 1; H318.

Full text of H- and EUH-statements: see section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

In case of inhalation: Provide fresh air. In case of respiratory difficulties seek medical attention.

Following skin contact: Change contaminated clothing. Remove residues with water.  
In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. If you feel unwell, seek medical advice.  
Do not induce vomiting.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page: 3 of 8

Extinguishing media which must not be used for safety reasons:

Full water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of a fire, the following may be produced when the water evaporates: Carbon monoxide and carbon dioxide.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information: Hazchem-Code: -

Do not allow fire water to penetrate into surface or ground water.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe vapour/aerosol.

Avoid contact with skin and eyes. Keep unprotected people away.

Wear appropriate protective equipment.

#### 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder.

Store in special closed containers and dispose of according to ordinance. Final cleaning.

Additional information: Special danger of slipping by leaking/spilling product.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid contact with skin and eyes. Do not breathe vapour/aerosol.

Wear appropriate protective equipment.

Do not mix with other chemicals.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and dry.

Store at room temperature.

Hints on joint storage: Keep away from food, drink and animal feedingstuffs.

#### 7.3 Specific end use(s)

No information available.

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page:

4 of 8

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

- Respiratory protection: If vapours form, use respiratory protection.  
Combination filter/Use filter type A-P2 according to EN 14387.
- Hand protection: Protective gloves according to EN 374.  
Glove material: Nitrile rubber  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to EN 166.
- Body protection: Wear suitable protective clothing.
- General protection and hygiene measures:  
Change contaminated clothing.  
Wash hands before breaks and after work.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Work place should be equipped with a shower and an eye rinsing apparatus.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Form: liquid Colour: colourless
Odour:	characteristic
Odour threshold:	No data available
pH value:	1.5 - 2.5
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	not combustible
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	at 20 °C: 1.03 g/mL
Water solubility:	at 20 °C: completely miscible
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 17/1/2018  
Version: 9  
Language: en-GB,IE  
Date of print: 22/5/2018

## EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page: 5 of 8

Viscosity, kinematic: No data available  
Explosive properties: No data available  
Oxidizing characteristics: No data available

### 9.2 Other information

Additional information: No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Refer to 10.3

### 10.2 Chemical stability

Product is stable under normal storage conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Do not mix with other chemicals.

### 10.5 Incompatible materials

Strong acids and alkalis

### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page:

6 of 8

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

### Symptoms

After contact with skin: May cause irritations.  
After eye contact: Reddening, pain.

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: No data available

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

General information: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.

### EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page: 7 of 8

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste key number: 11 01 98\* = Wastes from chemical surface treatment and coating of metals and other materials (eg. galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

#### Contaminated packaging

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.  
Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

### 14.5 Environmental hazards

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 17/1/2018

Version: 9

Language: en-GB,IE

Date of print: 22/5/2018

## EW03 electrolyte for electrochemical signature of chemically nickle-plated parts

Material number EW03

Page:

8 of 8

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations - Great Britain

Hazchem-Code:

-

No data available

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

### SECTION 16: Other information

#### Further information

Wording of the H-phrases under paragraph 2 and 3:

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

Reason of change: Changes in section 2: Labelling (P-phrases: EU, ATP 8)

Date of first version: 12/9/2008

#### Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.